

ALDEN LEEDS, INC.
55 JACOBUS AVE.
SO. KEARNY, NJ 07032
(973) 589-3544

PRODUCT CODE # 1520, 3161 & 3162
PRODUCT NAME: YELLOW SHOCK
& CLEAR, BROMINE INITIATOR

MATERIAL
SAFETY DATA
SHEET
1/20/11

SECTION I - IDENTIFICATION

CHEMICAL NAME & SYNONYMS: Alkali metal halide

FORMULA: NaBr

TRADE NAME: NuClo Yellow Shock & Clear, Bromine Initiator

DESCRIPTION: White odorless crystalline solid, hygroscopic, but not deliquescent.

CAS NO. 7647-15-6

SECTION II - PHYSICAL DATA

Boiling Point: 1390°C

Freezing Point: N/A

Vapor Pressure: 1mm Hg @ 806°C

Specific Gravity (H₂O=1): 3.21

% Volatile by Volume: N/A

Vapor Density: N/A

Solubility in water: 95 g/100g @ 25°C

Evaporation Rate: N/A

SECTION III - FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A

Autoignition Temp: N/A

Flammable Limits in Air % By Volume: N/A

Extinguishing Media: Use media appropriate for surrounding fire.

Special Fire Fighting Procedures: Cool containers with water spray. In closed stores, provide fire-fighters with self contained breathing apparatus. (In pressure demand or other positive pressure mode.)

Unusual Fire and Explosion Hazards: From ~ 800°C will decompose, releasing toxic bromine fumes.

SECTION IV - HEALTH HAZARD DATA

Threshold limit value: None established.

EFFECTS OF OVEREXPOSURE: Slight irritation to eyes, skin and mucous membranes, respiratory tract and gastrointestinal tract.

EFFECTS OF CHRONIC EXPOSURE: None expected at use concentrations.

SECTION V - EMERGENCY AND FIRST AID PROCEDURE

INHALATION: Remove patient to fresh air, call a physician.

SKIN: Flush with water for 15 minutes. Call a physician.

EYE: Flush with water for 15 minutes. Call a physician.

INGESTION: Drink large quantities of water, induce vomiting by placing finger to back of throat. Consult a physician.

SECTION VI - TOXICOLOGY

Acute Oral LD50 (rat): 4200mg/kg

Carcinogenic: Not known to be.

Acute Dermal LD50 (rabbit): 2000 mg/kg

Mutagenic: Not known to be.

SECTION VII - REACTIVITY DATA

Stability: Stable

Conditions to Avoid: Heating above 800°C

Incompatibility (materials to avoid): Will react violently with Bromine Trifluoride

Hazardous Decomposition: From ~ 800°C toxic, irritant bromine fumes are released.

Hazardous Polymerization: N/A

*

CHEMICAL NAME:
Alkali Metal Halide

TRADE NAME: NuClo Yellow Shock & Clear,
Bromine Initiator

*

SECTION VIII - SPILL, LEAKAGE & DISPOSAL PROCEDURES

Steps to take if material leaks or spills: Use dust respirator, rubber gloves and protective goggles with side shields. Prevent dusting, shovel into intact packaging for possible re-use or dilute with water and drain to sewer with ample water.

Waste disposal method: Put into a large vessel containing water and drain into sewer with ample water. dispose of in compliance with all Federal, State and Local regulations.

*

SECTION IX - SPECIAL PROTECTION DATA

Ventilation:

Local Exhaust: Required where exposure to dust might occur.

Eye Protection: Wear goggles or safety glasses with side shields.

Respiratory Protection: Use an NIOSH approved respirator when necessary.

Protective Gloves: Wear impervious gloves.

Other Equipment: Wear coveralls and impervious boots.

*

SECTION X - SPECIAL PRECAUTIONS DATA

Handling and Storage: Do not get in eyes, on skin or clothing. Do not take internally. Avoid breathing dust. Protect against physical damage. Store in cool, dry well-ventilated place away from flammable liquids, combustible or oxidizable materials..

Other: Drums may be ruptured if contents are overexposed to heat, becomes contaminated or wet. Avoid prolonged storage in unventilated areas at hot summer temperatures

*

SECTION XI - TRANSPORTATION INFORMATION

This material is not a hazardous material and is not regulated by the D.O.T. For all transportation accidents, call **CHEMTREC** at 800-424-9300.

*

The information herein is given in good faith but no warranty, expressed or implied, is made.

*

ALDEN LEEDS, INC.
55 JACOBUS AVE. SO. KEARNY, NJ 07032
24 HOUR EMERGENCY PHONE: CHEMTREC 800-424-9300